



Scientific Investigation from Mushrooms and Health 2008

References

- Abel, O., Suzuki, T., Ogawa, A., Akati, T., Masuda, K., Koyama, T., Yazawa, K. and Kawagishi, H. (2007) Osteoclast forming suppressive compounds from the mushroom *Agrocybe Chaxingu*. *Yakugaku Zasshi-Journal of the Pharmaceutical Society of Japan* **127**, 64-66.
- Acharya, K., Samui, K., Rai, M., Dutta, B.B. and Acharya, R. (2004) Antioxidant and nitric oxide synthase activation properties of *Auricularia auricula*. *Indian Journal of Experimental Biology* **42**, 538-540.
- Ahn, W.S., Kim, D.J., Chae, G.T., Lee, J.M., Bae, S.M., Sin, J.I., Kim, Y.W., Namkoong, S.E. and Lee, I.P. (2004) Natural killer cell activity and quality of life were improved by consumption of a mushroom extract, *Agaricus blazei* Murill Kyowa, in gynecological cancer patients undergoing chemotherapy. *International Journal of Gynecological Cancer* **14**, 589-594.
- Ajith, T.A. and Janardhanan, K.K. (2007) Indian medicinal mushrooms as a source of antioxidant and antitumor agents. *Journal of Clinical Biochemistry and Nutrition* **40**, 157-162.
- Akihisa, T., Franzblau, S.G., Tokuda, H., Tagata, M., Ukiya, M., Matsuzawa, T., Metori, K., Kimura, Y., Suzuki, T. and Yasukawa, K. (2005) Antitubercular activity and inhibitory effect on Epstein-Barr virus activation of sterols and polyisoprenepolyols from an edible mushroom, *Hypsizigus marmoreus*. *Biological and Pharmacology Bulletin* **28**, 1117-1119.
- Al-Fatimi, M.A.A., Julich, W.-D., Jansen, R. and Lindequist, U. (2006) Bioactive components of the traditionally used mushroom *Podaxis pistillaris*. *Evidence-Based Complementary and Alternative Medicine* **3**, 87-92.
- Alonso, J., Garcia, M.A., Perez-Lopez, M. and Melgar, M.J. (2003) The concentrations and bioconcentration factors of copper and zinc in edible mushrooms. *Archives of Environmental Contamination and Toxicology* **44**, 180-188.

- Alonso, J., Salgado, M.J., Garcia, M.A. and Melgar, M.J. (2000) Accumulation of mercury in edible macrofungi: influence of some factors. *Archives of Environmental Contamination and Toxicology* **38**, 158-162.
- Amitani, R., Nishimura, K., Niimi, A., Kobayashi, H., Nawada, R., Murayama, T., Taguchi, H. and Kuze, F. (1996) Bronchial mucoid impaction due to the monokaryotic mycelium of *Schizophyllum commune*. *Clinical Infectious Diseases* **22**, 146-148.
- Angeli, J.P., Ribeiro, L.R., Gonzaga, M.L., Soares Sde, A., Ricardo, M.P., Tsuboy, M.S., Stidl, R., Knasmueller, S., Linhares, R.E. and Mantovani, M.S. (2006) Protective effects of beta-glucan extracted from *Agaricus brasiliensis* against chemically induced DNA damage in human lymphocytes. *Cell Biology and Toxicology* **22**, 285-291.
- Anon (1889) Edible mushrooms of the United States. *Science* **13**, 453-455.
- Arola, H., Koivula, T., Karvonen, A.L., Jokela, H., Ahola, T. and Isokoski, M. (1999) Low trehalase activity is associated with abdominal symptoms caused by edible mushrooms. *Scandinavian Journal of Gastroenterology* **34**, 898-903.
- Asatiani, M., Elisashvili, V., Wasser, S.P., Reznick, A.Z. and Nevo, E. (2007a) Antioxidant activity of submerged cultured mycelium extracts of higher basidiomycetes mushrooms. *International Journal of Medicinal Mushrooms* **9**, 151-158.
- Asatiani, M.D., Elisashvili, V.I., Wasser, S.P., Reznick, A.Z. and Nevo, E. (2007b) Free-radical scavenging activity of submerged mycelium extracts from higher basidiomycetes mushrooms. *Bioscience, Biotechnology and Biochemistry* **71**, 3090-3092.
- Babitskaya, V.G., Bisko, N.A., Shcherba, V.V. and Mitropolskaya, N.Yu. (2007) Study of melanin complex from medicinal mushroom *Phellinus robustus* (P. Karst.) Bourd. et Galz. (aphyllophoromycetidae). *International Journal of Medicinal Mushrooms* **9**, 177-184.
- Badole, S.L. and Bodhankar, S.L. (2007) Interaction study of aqueous extract of *Pleurotus pulmonarius* (Fr.) Quel-champ with acarbose in alloxan induced diabetic mice. *Journal of Applied Biomedicine* **5**, 157-166.
- Badole, S.L., Shah, S.N., Patel, N.M., Thakurdesai, P.A. and Bodhankar, S.L. (2006) Hypoglycemic activity of aqueous extract of *Pleurotus pulmonarius* in alloxan-induced diabetic mice. *Pharmaceutical Biology* **44**, 421-425.
- Bae, J.S., Jang, K.H. and Jin, H.K. (2006) Effects of natural polysaccharides on the growth and peritoneal carcinomatosis of human gastric adenocarcinoma in a nude mouse model. *Cancer Letters* **235**, 60-68.
- Bae, J.T., Sim, G.S., Lee, D.H., Lee, B.C., Pyo, H.B., Choe, T.B. and Yun, J.W. (2005) Production of exopolysaccharide from mycelial culture of *Grifola frondosa* and its inhibitory effect on matrix metalloproteinase-1 expression in UV-irradiated human dermal fibroblasts. *FEMS Microbiology Letters* **251**, 347-354.
- Barbisan, L.F., Miyamoto, M., Scolastici, C., Salvadori, D.M., Ribeiro, L.R., Eira, A.F. and de Camargo, J.L. (2002) Influence of aqueous extract of *Agaricus blazei* on rat liver toxicity induced by different doses of diethylnitrosamine. *Journal of Ethnopharmacology* **83**, 25-32.

- Barbisan, L.F., Scolastici, C., Miyamoto, M., Salvadori, D.M., Ribeiro, L.R., da Eira, A.F. and de Camargo, J.L. (2003a) Effects of crude extracts of *Agaricus blazei* on DNA damage and on rat liver carcinogenesis induced by diethylnitrosamine. *Genetics and Molecular Research* **2**, 295-308.
- Barbisan, L.F., Spinardi-Barbisan, A.L., Moreira, E.L., Salvadori, D.M., Ribeiro, L.R., da Eira, A.F. and de Camargo, J.L. (2003b) *Agaricus blazei* (Himematsutake) does not alter the development of rat diethylnitrosamine-initiated hepatic preneoplastic foci. *Cancer Science* **94**, 188-192.
- Batterbury, M., Tebbs, C.A., Rhodes, J.M. and Grierson, I. (2002) *Agaricus bisporus* (edible mushroom lectin) inhibits ocular fibroblast proliferation and collagen lattice contraction. *Experimental Eye Research* **74**, 361-370.
- Beelman, R.B. and Royse, D.J. (2006) Selenium enrichment of *Pleurotus cornucopiae* (Paulet) Rolland and *Grifola frondosa* (Dicks.:Fr.) S.F. Gray mushrooms. *International Journal of Medicinal Mushrooms* **8**, 77-84.
- Berger, A., Rein, D., Kratky, E., Monnard, I., Hajjaj, H., Meirim, I., Piguet-Welsch, C., Hauser, J., Mace, K. and Niederberger, P. (2004) Cholesterol-lowering properties of *Ganoderma lucidum* in vitro, ex vivo, and in hamsters and minipigs. *Lipids Health Disease* **3**, 2
- Bernardshaw, S., Hetland, G., Ellertsen, L.K., Tryggestad, A.M. and Johnson, E. (2005) An extract of the medicinal mushroom *Agaricus blazei* Murill differentially stimulates production of pro-inflammatory cytokines in human monocytes and human vein endothelial cells in vitro. *Inflammation* **29**, 147-153.
- Bernardshaw, S., Hetland, G., Grinde, B. and Johnson, E. (2006) An extract of the mushroom *Agaricus blazei* Murill protects against lethal septicemia in a mouse model of fecal peritonitis. *Shock* **25**, 420-425.
- Bernardshaw, S., Johnson, E. and Hetland, G. (2005) An extract of the mushroom *Agaricus blazei* murill administered orally protects against systemic *Streptococcus pneumoniae* infection in mice. *Scandinavian Journal of Immunology* **62**, 393-398.
- Beynen, A.C., Fielmich, A.M., Lemmens, A.G. and Terpstra, A.H.M. (1996) Farm-grown mushrooms (*Agaricus Campestris*) in the diet of rats do not affect plasma and liver cholesterol concentrations. *Nahrung* **40**, 343-345.
- Bobek, P., Chorvathova, V. and Ginter, E. (1991) Hypocholesterolemic effect of Oyster mushroom (*Pleurotus Ostreatus*) in rat with Streptozotocine diabetes. *Biologia* **46**, 1025-1030.
- Bobek, P. and Galbavy, S. (1999) Hypocholesterolemic and antiatherogenic effect of oyster mushroom (*Pleurotus ostreatus*) in rabbits. *Nahrung* **43**, 339-342.
- Bobek, P. and Galbavy, S. (2001) Effect of pleuran (beta-glucan from *Pleurotus ostreatus*) on the antioxidant status of the organism and on dimethylhydrazine-induced precancerous lesions in rat colon. *British Journal of Biomedical Science* **58**, 164-168.

- Bobek, P., Ginter, E. and Ozdin, L. (1993) Oyster Mushroom (Pleurotus-Ostreatus) accelerates the plasma-clearance of low-density and high-density-lipoproteins in rats. *Nutrition Research* **13**, 885-890.
- Bobek, P., Ginter, E., Ozdin, L. and Cerven, J. (1990) Hypocholesterolemic effect of Oyster mushroom (Pleurotus-Ostreatus) in rat with hereditary increased sensitiveness to diet cholesterol. *Biologia* **45**, 961-966.
- Bobek, P., Kuniak, L. and Ozdin, L. (1993) Study on the mechanism of hypolipemic effect of Oyster Mushroom (Pleurotus-Ostreatus) extracts in Syrian-hamster. *Biologia* **48**, 305-308.
- Bobek, P., Nosalova, V. and Cerna, S. (2001) Effect of pleuran (beta-glucan from Pleurotus ostreatus) in diet or drinking fluid on colitis in rats. *Nahrung* **45**, 360-363.
- Bobek, P., Ozdin, L. and Kajaba, I. (1997) Dose-dependent hypocholesterolaemic effect of oyster mushroom (Pleurotus ostreatus) in rats. *Physiological Research* **46**, 327-329.
- Boh, B. and Berovic, M. (2007) Grifola Frondosa (Dicks.: Fr.) Sf Gray (Maitake mushroom): Medicinal properties, active compounds, and biotechnological cultivation. *International Journal of Medicinal Mushrooms* **9**, 89-108.
- Boh, B., Berovic, M., Zhang, J. and Zhi-Bin, L. (2007) Ganoderma lucidum and its pharmaceutically active compounds. *Biotechnology Annual Review* **13**, 265-301.
- Brauer, D., Kimmons, T. and Phillips, M. (2002) Effects of management on the yield and high-molecular-weight polysaccharide content of shiitake (Lentinula edodes) mushrooms. *Journal of Agricultural and Food Chemistry* **50**, 5333-5337.
- Buzina, W., Braun, H., Freudenschuss, K., Lackner, A., Schimpl, K. and Stammberger, H. (2003) The basidiomycete Schizophyllum commune in paranasal sinuses. *Mycoses* **46**, 23-27.
- Cao, D., Zhang, G.-L., Ni, W., Teng, H.-L. and Lin, Z.-B. (2006) Effect of Grifola frondosa (Dicks.:Fr.) S.F.Gray (maitake mushroom) aqueous extract on nitric oxide production induced by BCG and cytokines in rat hepatocytes. *International Journal of Medicinal Mushrooms* **8**, 49-55.
- Carrizo, M.E., Capaldi, S., Perduca, M., Irazoqui, F.J., Nores, G.A. and Monaco, H.L. (2005) The antineoplastic lectin of the common edible mushroom (Agaricus Bisporus) has two binding sites, each specific for a different configuration at a single epimeric hydroxyl. *Journal of Biological Chemistry* **280**, 10614-10623.
- Cha, J.Y., Jun, B.S., Yoo, K.S., Hahm, J.R. and Cho, Y.S. (2006) Fermented, Chaga mushroom (Inonotus Obliquus) effects on hypolipidemia and hepatoprotection in Otsuka Long-Evans Tokushima Fatty (Oletf) Rats. *Food Science and Biotechnology* **15**, 122-127.
- Chan, W.K., Lam, D.T.W., Law, H.K.W., Wong, W.T., Koo, M.W.L., Lau, A.S.Y., Lau, Y.L. and Chan, G.C.F. (2005) Ganoderma lucidum mycelium and spore extracts as natural adjuvants for immunotherapy. *Journal of Alternative and Complementary Medicine* **11**, 1047-1057.

- Chan, Y., Chang, T., Chan, C.H., Yeh, Y.C., Chen, C.W., Shieh, B. and Li, C. (2007) Immunomodulatory effects of *Agaricus blazei* Murill in Balb/cByJ mice. *Journal of Microbiology Immunology and Infection* **40**, 201-208.
- Chang, H.H., Chien, P.J., Tong, M.H. and Sheu, F. (2007) Mushroom immunomodulatory proteins possess potential thermal/freezing resistance, acid/alkali tolerance and dehydration stability. *Food Chemistry* **105**, 597-605.
- Chang, J.S., Son, J.K., Li, G., Oh, E.J., Kim, J.Y., Park, S.H., Bae, J.T., Kim, H.J., Lee, I.S., Kim, O.M., Kozukue, N., Han, J.S., Hirose, M. and Lee, K.R. (2004) Inhibition of cell cycle progression on HepG2 cells by hypsiziprenol A9, isolated from *Hypsizigus marmoreus*. *Cancer Letters* **212**, 7-14.
- Chen, S., Oh, S.R., Phung, S., Hur, G., Ye, I.J., Kwok, S.L., Shrode, G.E., Belury, M., Adams, L.S. and Williams, D. (2006) Anti-aromatase activity of phytochemicals in White Button Mushrooms (*Agaricus Bisporus*). *Cancer Research* **66**, 12026-12034.
- Chen, W., Zhao, Z., Chen, S.-F. and Li, Y.-Q. (2008) Optimization for the production of exopolysaccharide from *Fomes fomentarius* in submerged culture and its antitumor effect in vitro. *Bioresource Technology* **99**, 3187-3194.
- Cheskin, L. J., Davis, L. M., Lipsky, L. M., Mitola, A. H., Lycan, T., Mitchell, V., Mickle, B. and Adkins, E. (2008) Lack of energy compensation over 4 days when white button mushrooms are substituted for beef. *Appetite* **51**, 50-57.
- Cheung, L.M. and Cheung, P.C.K. (2005) Mushroom extracts with antioxidant activity against lipid peroxidation. *Food Chemistry* **89**, 403-409.
- Cheung, P.C.K. (1996a) The hypocholesterolemic effect of extracellular polysaccharide from the submerged fermentation of mushroom. *Nutrition Research* **16**, 1953-1957.
- Cheung, P.C.K. (1996b) The hypocholesterolemic effect of two edible mushrooms: *Auricularia Auricula* (Tree-Ear) and *Tremella Fuciformis* (White Jelly-Leaf) in hypercholesterolemic rats. *Nutrition Research* **16**, 1721-1725.
- Cheung, P.C.K. (1998) Plasma and hepatic cholesterol levels and fecal neutral sterol excretion are altered in hamsters fed straw mushroom diets. *Journal of Nutrition* **128**, 1512-1516.
- Chiu, K.W., Lam, A.H.W. and Pang, P.K.T. (1995) Cardiovascular active substances from the Straw Mushroom, *Volvariella Volvacea*. *Phytotherapy Research* **9**, 93-99.
- Cho, E.J., Hwang, H.J., Kim, S.W., Oh, J.Y., Baek, Y.M., Choi, J.W., Bae, S.H. and Yun, J.W. (2007) Hypoglycemic effects of exopolysaccharides produced by mycelial cultures of two different mushrooms *Tremella fuciformis* and *Phellinus baumii* in ob/ob mice. *Applied Microbiology and Biotechnology* **75**, 1257-1265.
- Choi, D.B., Cha, W.S., Kang, S.H. and Lee, B.R. (2004a) Effect of *Pleurotus Ferulae* extracts on viability of human lung cancer and cervical cancer cell lines. *Biotechnology and Bioprocess Engineering* **9**, 356-361.

- Choi, S.B., Park, C.H., Choi, M.K., Jun, D.W. and Park, S. (2004b) Improvement of insulin resistance and insulin secretion by water extracts of *Cordyceps militaris*, *Phellinus linteus*, and *Paecilomyces tenuipes* in 90% pancreatectomized rats. *Bioscience, Biotechnology and Biochemistry* **68**, 2257-2264.
- Choi, Y., Lee, S.M., Chun, J., Lee, H.B. and Lee, J. (2006a) Influence of heat treatment on the antioxidant activities and polyphenolic compounds of Shiitake (*Lentinus Edodes*) mushroom. *Food Chemistry* **99**, 381-387.
- Choi, Y.H., Yan, G.H., Chai, O.H., Choi, Y.H., Zhang, X., Lim, J.M., Kim, J.H., Lee, M.S., Han, E.H., Kim, H.T. and Song, C.H. (2006b) Inhibitory effects of *Agaricus blazei* on mast cell-mediated anaphylaxis-like reactions. *Biological and Pharmaceutical Bulletin* **29**, 1366-1371.
- Collins, L., Zhu, T., Guo, J., Xiao, Z.J. and Chen, C.-Y. (2006) *Phellinus linteus* sensitises apoptosis induced by doxorubicin in prostate cancer. *British Journal of Cancer* **95**, 282-288.
- Cui, F.J., Li, Y., Xu, Y.Y., Liu, Z.Q., Huang, D.M., Zhang, Z.C. and Tao, W.Y. (2007) Induction of apoptosis in SGC-7901 cells by polysaccharide-peptide GFPS1b from the cultured mycelia of *Grifola frondosa* GF9801. *Toxicology In Vitro* **21**, 417-427.
- de Roman, M., Boa, E. and Woodward, S. (2006) Wild-gathered fungi for health and rural livelihoods. *Proceedings Of The Nutrition Society* **65**, 190-197.
- Deiana, M., Rosa, A., Casu, V., Piga, R., Assunta Dessi, M. and Aruoma, O.I. (2004) L-ergothioneine modulates oxidative damage in the kidney and liver of rats in vivo: studies upon the profile of polyunsaturated fatty acids. *Clin Nutr* **23**, 183-193.
- Delmanto, R.D., De Lima, P.L.A., Sugui, M.M., Da Eira, A.F., Salvadori, D.M.F., Speit, G. and Ribeiro, L.R. (2001) Antimutagenic effect of *Agaricus Blazei* Murrill mushroom on the genotoxicity induced by cyclophosphamide. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis* **496**, 15-21.
- Diyabalanage, T., Mulabagal, V., Mills, G., Dewitt, D.L. and Nair, M.G. (2008) Health-beneficial qualities of the edible mushroom, *Agrocybe Aegerita*. *Food Chemistry* **108**, 97-102.
- Dubost, N.J., Beelman, R.B., Peterson, D. and Royse, D.J. (2006) Identification and quantification of ergothioneine in cultivated mushrooms by liquid chromatography-mass spectroscopy. *International Journal of Medicinal Mushrooms* **8**, 215-222.
- Dubost, N.J., Beelman, R.B. and Royse, D.J. (2007) Influence of selected cultural factors and postharvest storage on ergothioneine content of common button mushroom *Agaricus bisporus* (J. Lge) imbach (agaricomycetidae). *International Journal of Medicinal Mushrooms* **9**, 163-176.
- Ebina, T. (2005) Antitumor effects of intratumoral injection of Basidiomycetes preparations. *Gan To Kagaku Ryoho (Cancer and Chemotherapy)* **32**, 1654-1656.

- Eckhardt, S.G., Baker, S.D., Britten, C.D., Hidalgo, M., Siu, L., Hammond, L.A., Villalona-Calero, M.A., Felton, S., Drengler, R., Kuhn, J.G., Clark, G.M., Smith, S.L., MacDonald, J.R., Smith, C., Moczygemba, J., Weitman, S., Von Hoff, D.D. and Rowinsky, E.K. (2000) Phase I and pharmacokinetic study of irofulven, a novel mushroom-derived cytotoxin, administered for five consecutive days every four weeks in patients with advanced solid malignancies. *Journal of Clinical Oncology* **18**, 4086-4097.
- Elgorashi, E.E., Maekawa, N. and Satoh, H. (2008) In vitro anti-inflammatory activity of selected Japanese higher Basidiomycetes mushrooms. *International Journal of Medicinal Mushrooms* **10**, 49-53.
- Ellertsen, L.K., Hetland, G., Johnson, E. and Grinde, B. (2006) Effect of a medicinal extract from *Agaricus blazei* Murill on gene expression in a human monocyte cell line as examined by microarrays and immuno assays. *International Immunopharmacology* **6**, 133-143.
- Enman, J., Rova, U. and Berglund, K.A. (2007) Quantification of the bioactive compound eritadenine in selected strains of shiitake mushroom (*Lentinus edodes*). *Journal of Agriculture and Food Chemistry* **55**, 1177-1180.
- Ewart, R.B., Kornfeld, S. and Kipnis, D.M. (1975) Effect of lectins on hormone release from isolated rat islets of langerhans. *Diabetes* **24**, 705-714.
- Faccin, L.C., Benati, F., Rincão, V.P., Mantovani, M.S., Soares, S.A., Gonzaga, M.L., Nozawa, C. and Carvalho Linhares, R.E. (2007) Antiviral activity of aqueous and ethanol extracts and of an isolated polysaccharide from *Agaricus brasiliensis* against poliovirus type 1. *Letters in Applied Microbiology* **45**, 24-28.
- Fan, L.F., Soccol, A.T., Pandey, A. and Soccol, C.R. (2007) Effect of nutritional and environmental conditions on the production of exo-polysaccharide of *Agaricus Brasiliensis* by submerged fermentation and Its antitumor activity. *LWT-Food Science and Technology* **40**, 30-35.
- Fang, N., Li, Q., Yu, S., Zhang, J., He, L., Ronis, M.J.J. and Badger, T.M. (2006) Inhibition of growth and induction of apoptosis in human cancer cell lines by an ethyl acetate fraction from shiitake mushrooms. *Journal of Alternative and Complementary Medicine* **12**, 125-132.
- Favero, N., Bressa, G. and Costa, P. (1990) Response of *Pleurotus ostreatus* to cadmium exposure. *Ecotoxicology and Environmental Safety* **20**, 1-6.
- Feeney, M.J. (2006) Mushrooms - intake, composition, and research: A mini-review. *Nutrition Today* **41**, 219-226.
- Fischer, B., Luthy, J. and Schlatter, C. (1984) Rapid determination of agaritin in commercial mushrooms (*Agaricus bisporus*) with high performance liquid chromatography. *Zeitschrift fuer Lebensmittel - Untersuchung und Forschung* **179**, 218-223.
- Fischer, B., Yawalkar, N., Brandes, K.A., Pichler, W.J. and Helbling, A. (2002) Triggering of atopic dermatitis by spores of the oyster mushroom *Pleurotus pulmonarius*. *Allergologie* **25**, 209-215.

- FitzGerald, G.B., Rosowsky, A. and Wick, M.M. (1984) Inhibition of ribonucleotide reductase by naturally occurring quinols from spores of *Agaricus bisporus*. *Biochemical and Biophysical Research Communications* **120**, 1008-1014.
- Frank, J.A., Xiao, R., Yu, S., Ferguson, M., Hennings, L.J., Simpson, P.M., Ronis, M.J.J., Fang, N., Badger, T.M. and Simmen, F.A. (2006) Effect of Shiitake mushroom dose on colon tumorigenesis in azoxymethane-treated male Sprague-Dawley rats. *Nutrition Research* **26**, 138-145.
- Fui, H.Y., Shieh, D.E. and Ho, C.T. (2002) Antioxidant and free radical scavenging activities of edible mushrooms. *Journal of Food Lipids* **9**, 35-46.
- Fujii, T., Maeda, H., Suzuki, F. and Ishida, N. (1978) Isolation and characterization of a new antitumor polysaccharide, KS-2, extracted from culture mycelia of *Lentinus edodes*. *Journal of Antibiotics (Tokyo)* **31**, 1079-1090.
- Fujimiya, Y., Groveman, D.S., Takei, Y., Suzuki, Y. and Noji, M. (2006) Effects of polysaccharides isolated from *Agaricus brasiliensis* (Agaricomycetideae) on splenic hematopoiesis in mice. *International Journal of Medicinal Mushrooms* **8**, 129-133.
- Fujimiya, Y., Suzuki, Y., Katakura, R. and Ebina, T. (1999) Tumor-specific cytotoxic and immunopotentiating effects of relatively low molecular weight products derived from the basidiomycete, *Agaricus blazei* Murill. *Anticancer Research* **19**, 113-118.
- Fujita, R., Liu, J., Shimizu, K., Konishi, F., Noda, K., Kumamoto, S., Ueda, C., Tajiri, H., Kaneko, S., Suimi, Y. and Kondo, R. (2005) Anti-androgenic activities of *Ganoderma lucidum*. *Journal of Ethnopharmacology* **102**, 107-112.
- Fukushima, M., Nakano, M., Morii, Y., Ohashi, T., Fujiwara, Y. and Sonoyama, K. (2000) Hepatic LDL receptor mRNA in rats is increased by dietary mushroom (*Agaricus bisporus*) fiber and sugar beet fiber. *Journal of Nutrition* **130**, 2151-2156.
- Fukushima, M., Ohashi, T., Fujiwara, Y., Sonoyama, K. and Nakano, M. (2001) Cholesterol-lowering effects of maitake (*Grifola frondosa*) fiber, shiitake (*Lentinus edodes*) fiber, and enokitake (*Flammulina velutipes*) fiber in rats. *Experimental Biology and Medicine (Maywood)* **226**, 758-765.
- Fullerton, S.A., Samadi, A.A., Tortorelis, D.G., Choudhury, M.S., Mallouh, C., Tazaki, H. and Konno, S. (2000) Induction of apoptosis in human prostatic cancer cells with beta-glucan (Maitake mushroom polysaccharide). *Molecular Urology* **4**, 7-13.
- Furukawa, M., Miura, N.N., Adachi, Y., Motoi, M. and Ohno, N. (2006) Effect of *Agaricus brasiliensis* S. Wasser et al. (Agarico-mycetideae) on murine diabetic model C57BL/Ksj-db/db. *International Journal of Medicinal Mushrooms* **8**, 115-128.
- Gao, J.-J., Min, B.-S., Ahn, E.-M., Nakamura, N., Lee, H.-K. and Hattori, M. (2002) New triterpene aldehydes, lucialdehydes A - C, from *Ganoderma lucidum* and their cytotoxicity against murine and human tumor cells. *Chemical and Pharmaceutical Bulletin* **50**, 837-840.

- Gao, L., Sun, Y., Chen, C., Xi, Y., Wang, J. and Wang, Z. (2007) Primary mechanism of apoptosis induction in a leukemia cell line by fraction FA-2-b-? prepared from the mushroom *Agaricus blazei* Murill. *Brazilian Journal of Medical and Biological Research* **40**, 1545-1555.
- Gao, Y., Tang, W., Dai, X., Gao, H., Chen, G., Ye, J., Chan, E., Huang, M. and Zhou, S. (2005) Immune responses to water-soluble Ling Zhi mushroom *Ganoderma lucidum* (W.Curt.:Fr.) P. Karst. Polysaccharides in patients with advanced colorectal cancer. *International Journal of Medicinal Mushrooms* **7**, 525-537.
- Gao, Y., Tang, W., Gao, H., Chan, E., Lan, J. and Zhou, S. (2004) *Ganoderma lucidum* polysaccharide fractions accelerate healing of acetic acid-induced ulcers in rats. *Journal of Medicinal Food* **7**, 417-421.
- Garbi Novaes, M., Fortes, R., Recova, V. and Lima, A. (2007a) Biochemical parameters of colorectal cancer patients using diet with *Agaricus Sylvaticus* mushroom: Randomized Study. *Annals of Oncology* **18**, VII36
- Garbi Novaes, M., Fortes, R., Recova, V. and Lima, A. (2007b) Enzymatic biochemistry alterations in colorectal cancer patients using diet with *Agaricus Sylvaticus* mushroom. *Annals of Oncology* **18**, VII35-VII36
- Garbi Novaes, M., Fortes, R., Recova, V. and Lima, A. (2007c) Glycemia levels of colorectal cancer patients using *Agaricus Sylvaticus* mushroom: Placebo-controlled clinical trial. *Annals of Oncology* **18**, VII36-VII37
- Garbi Novaes, M., Fortes, R., Recova, V. and Lima, A. (2007d) Hematological and immunological parameters in colorectal cancer patients after six months of dietary supplementation with *Agaricus Sylvaticus* mushroom. *Annals of Oncology* **18**, VII36
- Garbi Novaes, M., Fortes, R., Recova, V. and Lima, A. (2007e) Quality of life of colorectal cancer patients using diet with *Agaricus Sylvaticus* mushroom after six months treatment. *Annals of Oncology* **18**, VII37
- Gordon, M., Bihari, B., Goosby, E., Gorter, R., Greco, M., Guralnik, M., Mimura, T., Rudinicki, V., Wong, R. and Kaneko, Y. (1998) A placebo-controlled trial of the immune modulator, lentinan, in HIV-positive patients: a phase I/II trial. *Journal of Medicine* **29**, 305-30.
- Gray, A.M. and Flatt, P.R. (1998) Insulin-releasing and insulin-like activity of *Agaricus Campestris* (mushroom). *Journal of Endocrinology* **157**, 259-266.
- Grube, B.J., Eng, E.T., Kao, Y.C., Kwon, A. and Chen, S. (2001) White button mushroom phytochemicals inhibit aromatase activity and breast cancer cell proliferation. *Journal of Nutrition* **131**, 3288-3293.
- Gruter, A., Friederich, U. and Wurgler, F.E. (1991) The mutagenicity of edible mushrooms in a histidine-independent bacterial test system. *Food and Chemical Toxicology* **29**, 159-165.
- Gu, C.Q., Li, J. and Chao, F.H. (2006) Inhibition of hepatitis B virus by D-fraction from *Grifola frondosa*: synergistic effect of combination with interferon-alpha in HepG2 2.2.15. *Antiviral Research* **72**, 162-165.

- Gu, C.Q., Li, J.W., Chao, F., Jin, M., Wang, X.W. and Shen, Z.Q. (2007) Isolation, identification and function of a novel anti-HSV-1 protein from *Grifola frondosa*. *Antiviral Research* **75**, 250-257.
- Gu, Y.-H. and Belury, M.A. (2005) Selective induction of apoptosis in murine skin carcinoma cells (CH72) by an ethanol extract of *Lentinula edodes*. *Cancer Letters* **220**, 21-28.
- Gu, Y.H. and Leonard, J. (2006) In vitro effects on proliferation, apoptosis and colony inhibition in ER-dependent and ER-independent human breast cancer cells by selected mushroom species. *Oncology Reports* **15**, 417-423.
- Guan, G.P., Wang, H.X. and Ng, T.B. (2007) A novel ribonuclease with antiproliferative activity from fresh fruiting bodies of the edible mushroom *Hypsizigus marmoreus*. *Biochimica et Biophysica Acta* **1770**, 1593-1597.
- Guo, J.J., Zhu, T.B., Collins, L., Xiao, Z.X.J., Kim, S.H. and Chen, C.Y. (2007) Modulation of lung cancer growth arrest and apoptosis by *Phellinus linteus*. *Molecular Carcinogenesis* **46**, 144-154.
- Ha, J.H., Byun, D.G., Kim, S.M., Yoo, C.H. and Park, C.J. (2003) Shiitake dermatitis in Korea; clinical and histopathologic study. *Korean Journal of Dermatology* **41**, 440-444.
- Hackman, R.M., Shi, X.B., White, R.W.D. and Sun, B.X. (2001) A high genistein, Shiitake mushroom extract displays anti-tumor effects on prostate and other cancers. *FASEB Journal: Official publication of the Federation of American Societies for Experimental Biology* **15**, A619
- Han, C.H., Liu, Q.H., Ng, T.B. and Wang, H.X. (2005) A novel homodimeric lactose-binding lectin from the edible split gill medicinal mushroom *Schizophyllum commune*. *Biochemical and Biophysical Research Communications* **336**, 252-257.
- Han, S.-B., Lee, C.W., Kang, J.S., Yoon, Y.D., Lee, K.H., Lee, K., Park, S.-K. and Kim, H.M. (2006) Acidic polysaccharide from *Phellinus linteus* inhibits melanoma cell metastasis by blocking cell adhesion and invasion. *International Immunopharmacology* **6**, 697-702.
- Hanada, K. and Hashimoto, I. (1998) Flagellate mushroom (Shiitake) dermatitis and photosensitivity. *Dermatology* **197**, 255-257.
- Hatvani, N. (2001) Antibacterial effect of the culture fluid of *Lentinus edodes* mycelium grown in submerged liquid culture. *International Journal of Antimicrobial Agents* **17**, 71-74.
- Hiramoto, K., Kaku, M., Kato, T. and Kikugawa, K. (1995) DNA strand breaking by the carbon-centered radical generated from 4-(hydroxymethyl) benzenediazonium salt, a carcinogen in mushroom *Agaricus bisporus*. *Chemico-Biological Interactions* **94**, 21-36.
- Hirasawa, M., Shouji, N., Neta, T., Fukushima, K. and Takada, K. (1999) Three kinds of antibacterial substances from *Lentinus edodes* (Berk.) Sing. (Shiitake, an edible mushroom). *International Journal of Antimicrobial Agents* **11**, 151-157.

- Hong, J.H., Kim, S.J., Ravindra, P. and Youn, K.S. (2007) Antitumor activities of spray-dried powders with different molecular masses fractionated from the crude protein-bound polysaccharide extract of *Agaricus Blazei* Murill. *Food Science and Biotechnology* **16**, 600-604.
- Hong, K.J., Dunn, D.M., Shen, C.L. and Pence, B.C. (2004) Effects of *Ganoderma lucidum* on apoptotic and anti-inflammatory function in HT-29 human colonic carcinoma cells. *Phytotherapy Research* **18**, 768-770.
- Hong, S.A, Kim, K., Nam, S-J., Kong, G., Kim, M.K. (2008) A case-control study on the dietary intake of mushrooms and breast cancer risk among Korean women. *International Journal of Cancer* **122**, 919-923.
- Hossain, S., Hashimoto, M., Choudhury, E.K., Alam, N., Hussain, S., Hasan, M., Choudhury, S.K. and Mahmud, I. (2003) Dietary mushroom (*Pleurotus ostreatus*) ameliorates atherogenic lipid in hypercholesterolaemic rats. *Clinical and Experimental Pharmacology and Physiology* **30**, 470-465.
- Hsu, C.-H., Liao, Y.-L., Lin, S.-C., Hwang, K.-C. and Chou, P. (2007) The mushroom *Agaricus blazei* Murill in combination with metformin and gliclazide improves insulin resistance in type 2 diabetes: A randomized, double-blinded, and placebo-controlled clinical trial. *Journal of Alternative and Complementary Medicine* **13**, 97-102.
- Ikekawa, T., Ikeda, Y., Yoshioka, Y., Nakanishi, K., Yokoyama, E. and Yamazaki, E. (1982) Studies on antitumor polysaccharides of *Flammulina velutipes* (Curt. ex Fr.) Sing.II. The structure of EA3 and further purification of EA5. *Journal of Pharmacobiodynamics* **5**, 576-581.
- Ikekawa, T., Maruyama, H., Miyano, T., Okura, A., Sawasaki, Y., Naito, K., Kawamura, K. and Shiratori, K. (1985) Proflamin, a new antitumor agent: preparation, physicochemical properties and antitumor activity. *Japanese Journal of Cancer Research* **76**, 142-148.
- Ikekawa, T., Saitoh, H., Feng, W., Zhang, H., Li, L. and Matsuzawa, T. (1992) Antitumor activity of *Hypsizigus marmoreus*. I. Antitumor activity of extracts and polysaccharides. *Chemical and Pharmaceutical Bulletin (Tokyo)* **40**, 1954-1957.
- Inagaki, N., Shibata, T., Itoh, T., Suzuki, T., Tanaka, H., Nakamura, T., Akiyama, Y., Kawagishi, H. and Nagai, H. (2005) Inhibition of IgE-dependent mouse triphasic cutaneous reaction by a boiling water fraction separated from mycelium of *Phellinus linteus*. *Evidence-Based Complementary and Alternative Medicine* **2**, 369-374.
- Inage, M., Takahashi, H., Nakamura, H., Masakane, I. and Tomoike, H. (1996) Hypersensitivity pneumonitis induced by spores of *Pholiota nameko*. *Internal Medicine* **35**, 301-304.
- Inoue, A., Kodama, N. and Nanba, H. (2002) Effect of maitake (*Grifola frondosa*) D-fraction on the control of the T lymph node Th-1/Th-2 proportion. *Biological and Pharmaceutical Bulletin* **25**, 536-540.
- Inuzuka, H. and Yoshida, T. (2002) Clinical utility of ABCL (*Agaricus Mushroom Extract*) treatment for C-type hepatitis. *Japanese Pharmacology and Therapeutics* **30**, 103-107.

- Ishikawa, N.K., Fukushi, Y., Yamaji, K., Tahara, S. and Takahashi, K. (2001) Antimicrobial cuparene-type sesquiterpenes, enokipodins C and D, from a mycelial culture of *Flammulina velutipes*. *J Nat Prod* **64**, 932-934.
- Israilides, C., Kletsas, D., Arapoglou, D., Philippoussis, A., Pratsinis, H., Ebringerova, A., Hribalova, V. and Harding, S.E. (2008) In vitro cytostatic and immunomodulatory properties of the medicinal mushroom *Lentinula edodes*. *Phytomedicine* **15**, 512-519.
- Izawa, S. and Inoue, Y. (2004) A screening system for antioxidants using thioredoxin-deficient yeast: Discovery of thermostable antioxidant activity from *Agaricus blazei* Murill. *Applied Microbiology and Biotechnology* **64**, 537-542.
- Jasinghe, V.J. and Perera, C.O. (2006) Ultraviolet Irradiation: the Generator of Vitamin D-2 in Edible Mushrooms. *Food Chemistry* **95**, 638-643.
- Jasinghe, V.J., Perera, C.O. and Barlow, P.J. (2005) Bioavailability of vitamin D2 from irradiated mushrooms: an in vivo study. *British Journal of Nutrition* **93**, 951-955.
- Jiang, J., Slivova, V., Harvey, K., Valachovicova, T. and Sliva, D. (2004) *Ganoderma lucidum* suppresses growth of breast cancer cells through the inhibition of Akt/NF-kappaB signaling. *Nutrition and Cancer* **49**, 209-216.
- Jiang, J., Slivova, V. and Sliva, D. (2006) *Ganoderma lucidum* inhibits proliferation of human breast cancer cells by down-regulation of estrogen receptor and NF-kappaB signaling. *International Journal of Oncology* **29**, 695-703.
- Jiang, J., Slivova, V., Valachovicova, T., Harvey, K. and Sliva, D. (2004) *Ganoderma lucidum* inhibits proliferation and induces apoptosis in human prostate cancer cells PC-3. *International Journal of Oncology* **24**, 1093-1099.
- Jin, C.Y., Choi, Y.H., Moon, D.O., Park, C., Park, Y.M., Jeong, S.C., Heo, M.S., Lee, T.H., Lee, J.D. and Kim, G.Y. (2006) Induction of G2/M arrest and apoptosis in human gastric epithelial AGS cells by aqueous extract of *Agaricus blazei*. *Oncology Reports* **16**, 1349-1355.
- Jin, C.Y., Moon, D.O., Choi, Y.H., Lee, J.D. and Kim, G.Y. (2007) Bcl-2 and caspase-3 are major regulators in *Agaricus blazei*-induced human leukemic U937 cell apoptosis through dephosphorylation of Akt. *Biological and Pharmaceutical Bulletin* **30**, 1432-1437.
- Kabir, Y. and Kimura, S. (1989) Dietary mushrooms reduce blood pressure in spontaneously hypertensive rats (SHR). *Journal of Nutritional Science and Vitaminology (Tokyo)* **35**, 91-94.
- Kawagishi, H. (2007) Anti-dementia compounds from the mushroom *Herichium Erinaceum*. *Drugs of the Future* **32**, 17-18.
- Kawagishi, H. and Zhuang, C. (2008) Compounds for dementia from *Herichium erinaceum*. *Drugs of the Future* **33**, 149-155.
- Khatun, K., Mahtab, H., Khanam, P.A., Sayeed, M.A. and Khan, K.A. (2007) Oyster mushroom reduced blood glucose and cholesterol in diabetic subjects. *Mymensingh Medical Journal* **16**, 94-99.

- Kim, B.-C., Choi, J.-W., Hong, H.-Y., Lee, S.-A., Hong, S., Park, E.-H., Kim, S.-J. and Lim, C.-J. (2006) Heme oxygenase-1 mediates the anti-inflammatory effect of mushroom *Phellinus linteus* in LPS-stimulated RAW264.7 macrophages. *Journal of Ethnopharmacology* **106**, 364-371.
- Kim, D.H., Jang, I.S., Park, J.B. and Lee, S.W. (1995) Protective roles of mushrooms in experimental colon carcinogenesis. *Archives of Pharmacology Research* **18**, 79-83.
- Kim, D.H., Yang, B.K., Jeong, S.C., Hur, N.J., Das, S., Yun, J.W., Choi, J.W., Lee, Y.S. and Song, C.H. (2001) A preliminary study on the hypoglycemic effect of the exopolymers produced by five different medicinal mushrooms. *Journal of Microbiology and Biotechnology* **11**, 167-171.
- Kim, G.Y., Lee, M.Y., Lee, H.J., Moon, D.O., Lee, C.M., Jin, C.Y., Choi, Y.H., Jeong, Y.K., Chung, K.T., Lee, J.Y., Choi, I.H. and Park, Y.M. (2005) Effect of water-soluble proteoglycan isolated from *Agaricus blazei* on the maturation of murine bone marrow-derived dendritic cells. *International Immunopharmacology* **5**, 1523-1532.
- Kim, J.M., Ra, K.S., Noh, D.O. and Suh, H.J. (2002) Optimization of submerged culture conditions for the production of angiotensin converting enzyme inhibitor from *Flammulina velutipes*. *Journal of Industrial Microbiology and Biotechnology* **29**, 292-295.
- Kim, K.C. and Kim, I.G. (1999) *Ganoderma lucidum* extract protects DNA from strand breakage caused by hydroxyl radical and UV irradiation. *International Journal of Molecular Medicine* **4**, 273-277.
- Kim, S.-H., Song, Y.-S., Kim, S.-K., Kim, B.-C., Lim, C.-J. and Park, E.-H. (2004) Anti-inflammatory and related pharmacological activities of the n-BuOH subfraction of mushroom *Phellinus linteus*. *Journal of Ethnopharmacology* **93**, 141-146.
- Kim, S.W., Kim, H.G., Lee, B.E., Hwang, H.H., Baek, D.H. and Ko, S.Y. (2006) Effects of mushroom, *Pleurotus eryngii*, extracts on bone metabolism. *Clinical Nutrition* **25**, 166-170.
- Kim, T.I., Park, S.J., Choi, C.H., Lee, S.K. and Kim, W.H. (2004) Effect of ear mushroom (*Auricularia*) on functional constipation. *Korean Journal of Gastroenterology* **44**, 34-41.
- Kim, Y.W., Kim, K.H., Choi, H.J. and Lee, D.S. (2005) Anti-diabetic activity of beta-glucans and their enzymatically hydrolyzed oligosaccharides from *Agaricus blazei*. *Biotechnology Letters* **27**, 483-487.
- Kimura, C., Nukina, M., Igarashi, K. and Sugawara, Y. (2005) beta-Hydroxyergothioneine, a new ergothioneine derivative from the mushroom *Lyophyllum connatum*, and its protective activity against carbon tetrachloride-induced injury in primary culture hepatocytes. *Bioscience Biotechnology and Biochemistry* **69**, 357-363.
- Kimura, Y., Kido, T., Takaku, T., Sumiyoshi, M. and Baba, K. (2004) Isolation of an anti-angiogenic substance from *Agaricus blazei* Murill: its antitumor and antimetastatic actions. *Cancer Science* **95**, 758-764.

- Ko, J.A., Park, H.J., Lee, B.H. and Lee, J.S. (2008) Effect of UV-B exposure on the concentration of vitamin D2 in sliced Shiitake mushroom (*Lentinus Edodes*) and white button mushroom (*Agaricus Bisporus*). *Journal of Agricultural and Food Chemistry* **56**, 3671-3674.
- Ko, J.L., Hsu, C.I., Lin, R.H., Kao, C.L. and Lin, J.Y. (1995) A new fungal immunomodulatory protein, FIP-fve isolated from the edible mushroom, *Flammulina velutipes* and its complete amino acid sequence. *European Journal of Biochemistry* **228**, 244-249.
- Kobori, M., Yoshida, M., Ohnishi-Kameyama, M. and Shinmoto, H. (2007) Ergosterol peroxide from an edible mushroom suppresses inflammatory responses in RAW264.7 macrophages and growth of HT29 colon adenocarcinoma cells. *British Journal of Pharmacology* **150**, 209-219.
- Kodama, N., Kakuno, T. and Nanba, H. (2003) Stimulation of the natural immune system in normal mice by polysaccharide from Maitake mushroom. *Mycoscience* **44**, 257-261.
- Koh, J.H., Kim, J.M., Chang, U.J. and Suh, H.J. (2003) Hypocholesterolemic effect of hot-water extract from mycelia of *Cordyceps Sinensis*. *Biological & Pharmaceutical Bulletin* **26**, 84-87.
- Koike, T., Iyota, H., Fujimura, T., Kimura, H., Okada, M., Hasegawa, K. and Nagaoka, H. (2002a) Single dose toxicity study of extract of cultured *Lentinus Edodes* Mycelia by oral administration in rats. *Pharmacometrics* **62**, 1-3.
- Koike, T., Iyota, H., Nagase, T., Kimura, H., Okada, M., Hasegawa, K. and Nagaoka, H. (2002b) Repeated dose toxicity study of extract of cultured *Lentinus Edodes* Mycelia by 28-day oral administration in rats. *Pharmacometrics* **62**, 5-12.
- Koike, T., Nagase, T., Fujimura, T., Okada, M., Shimizu, M., Shimizu, A. and Hasegawa, K. (2003) Single dose toxicity study of powdered *Grifola Frondosa* by oral administration in rats. *Pharmacometrics* **65**, 39-41.
- Koo, K.-C., Lee, D.-H., Kim, J.-H., Yu, H.-E., Park, J.-S. and Lee, J.-S. (2006) Production and characterization of antihypertensive angiotensin I-converting enzyme inhibitor from *Pholiota adiposa*. *Journal of Microbiology and Biotechnology* **16**, 757-763.
- Kubo, K. and Nanba, H. (1996) The effect of maitake mushrooms on liver and serum lipids. *Alternative Therapies in Health and Medicine* **2**, 62-66.
- Kubo, K. and Nanba, H. (1997) Anti-hyperliposis effect of Maitake fruit body (*Grifola Frondosa*) .1. *Biological & Pharmaceutical Bulletin* **20**, 781-785.
- Kuo, M.C., Weng, C.Y., Ha, C.L. and Wu, M.J. (2006) *Ganoderma lucidum* mycelia enhance innate immunity by activating NF-kappaB. *Journal of Ethnopharmacology* **103**, 217-222.
- Kuznetsov, O.I., Mil'kova, E.V., Sosnina, A.E. and Sotnikova, N.I. (2005) Antimicrobial action of *Lentinus edodes* juice on human microflora. *Zhurnal Mikrobiologii, Epidemiologii, I Immunobiologii* 80-82.

- Kweon, M.-H., Kwon, S.-T., Kwon, S.-H., Ma, M.-S. and Park, Y.I. (2002) Lowering effects in plasma cholesterol and body weight by mycelial extracts of two mushrooms: *Agaricus blazei* and *Lentinus edodes*. *Korean Journal of Microbiology and Biotechnology* **30**, 402-409.
- Lam, S.K. and Ng, T.B. (2001) Hypsin, a novel thermostable ribosome-inactivating protein with antifungal and antiproliferative activities from fruiting bodies of the edible mushroom *Hypsizygus marmoreus*. *Biochemical and Biophysical Research Communications* **285**, 1071-1075.
- Lau, C.B.S., Ho, C.Y., Kim, C.F., Leung, K.N., Fung, K.P., Tse, T.F., Chan, H.H.L. and Chow, M.S.S. (2004) Cytotoxic activities of *Coriolus Versicolor* (Yunzhi) extract on human leukemia and lymphoma cells by induction of apoptosis. *Life Sciences* **75**, 797-808.
- Lavi, I., Friesem, D., Geresh, S., Hadar, Y. and Schwartz, B. (2006) An aqueous polysaccharide extract from the edible mushroom *Pleurotus ostreatus* induces anti-proliferative and pro-apoptotic effects on HT-29 colon cancer cells. *Cancer Letters* **244**, 61-70.
- Lee, C.-L., Yang, X. and Wan, J.M.F. (2006) The culture duration affects the immunomodulatory and anticancer effect of polysaccharopeptide derived from *Coriolus versicolor*. *Enzyme and Microbial Technology* **38**, 14-21.
- Lee, I.P., Kang, B.H., Roh, J.K. and Kim, J.R. (2008) Lack of carcinogenicity of lyophilized *Agaricus blazei* Murill in a F344 rat two year bioassay. *Food and Chemical Toxicology* **46**, 87-95.
- Lei, H., Ma, X. and Wu, W.T. (2007) Anti-diabetic effect of an alpha-glucan from fruit body of Maitake (*Grifola Frondosa*) on Kk-Ay mice. *Journal of Pharmacy and Pharmacology* **59**, 575-582.
- Levy, A.M., Kita, H., Phillips, S.F., Schkade, P.A., Dyer, P.D., Gleich, G.J. and Dubravec, V.A. (1998) Eosinophilia and gastrointestinal symptoms after ingestion of shiitake mushrooms. *Journal of Allergy and Clinical Immunology* **101**, 613-620.
- Lin, H., Cheung, S.W., Nesin, M., Cassileth, B.R. and Cunningham-Rundles, S. (2007) Enhancement of umbilical cord blood cell hematopoiesis by maitake beta-glucan is mediated by granulocyte colony-stimulating factor production. *Clinical and Vaccine Immunology* **14**, 21-27.
- Lin, S.-B., Li, C.-H., Lee, S.-S. and Kan, L.-S. (2003) Triterpene-enriched extracts from *Ganoderma lucidum* inhibit growth of hepatoma cells via suppressing protein kinase C, activating mitogen-activated protein kinases and G2-phase cell cycle arrest. *Life Sciences* **72**, 2381-2390.
- Lin, Y.-L., Lee, S.-S., Hou, S.-M. and Chiang, B.-L. (2006) Polysaccharide purified from *Ganoderma lucidum* induces gene expression changes in human dendritic cells and promotes T helper 1 immune response in BALB/c mice. *Molecular Pharmacology* **70**, 637-644.

- Liu, J.K., Hu, L., Dong, Z.J. and Hu, Q. (2004) DPPH radical scavenging activity of ten natural p-terphenyl derivatives obtained from three edible mushrooms indigenous to China. *Chemistry and Biodiversity* **1**, 601-605.
- Lo, K.M. and Cheung, P.C.K. (2005) Antioxidant activity of extracts from the fruiting bodies of *Agrocybe Aegerita* Var. *Alba*. *Food Chemistry* **89**, 533-539.
- Lu, Q.Y., Sartippour, M.R., Brooks, M.N., Zhang, Q., Hardy, M., Go, V.L., Li, F.P. and Heber, D. (2004) *Ganoderma lucidum* spore extract inhibits endothelial and breast cancer cells in vitro. *Oncology Reports* **12**, 659-662.
- Mallavadhani, U.V., Sudhakar, A.V.S., Satyanarayana, K.V.S., Mahapatra, A., Li, W. and VanBreemen, R.B. (2006) Chemical and analytical screening of some edible mushrooms. *Food Chemistry* **95**, 58-64.
- Matsumoto, K., Ito, M., Yagyu, S., Ogino, H. and Hirono, I. (1991) Carcinogenicity examination of *Agaricus bisporus*, edible mushroom, in rats. *Cancer Letters* **58**, 87-90.
- Matsuzawa, T. (2006) Studies on antioxidant effects of culinary-medicinal bunashimeji mushroom *Hypsizygus marmoreus* (Peck) Bigel. (Agaricomycetideae). *International Journal of Medicinal Mushrooms* **8**, 245-250.
- Mattila, P., Konko, K., Eurola, M., Pihlava, J.M., Astola, J., Vahteristo, L., Hietaniemi, V., Kumpulainen, J., Valtonen, M. and Piironen, V. (2001) Contents of vitamins, mineral elements, and some phenolic compounds in cultivated mushrooms. *Journal of Agricultural and Food Chemistry* **49**, 2343-2348.
- Mau, J.-L. (2005) The umami taste of edible and medicinal mushrooms. *International Journal of Medicinal Mushrooms* **7**, 119-125.
- Miyazaki, H., Gemma, H., Koshimizu, N., Sato, M., Ito, I., Suda, T., Chida, K. and Nakamura, H. (2003) Hypersensitivity pneumonitis induced by *Pleurotus eryngii* spores - a case report. *Nihon Kokyuki Gakkai Zasshi* **41**, 827-833.
- Mizuno, M. (2000) Anti-tumor polysaccharides from mushrooms during storage. *Biofactors* **12**, 275-281.
- Mojadadi, S., Ebtekar, M. and Hassan, Z.M. (2006) Immunomodulatory effects of *Ganoderma lucidum* (W. Curt.:Fr.) P. Karst. (Aphyllophoromycetideae) on CD4+/CD8+ tumor infiltrating lymphocytes in breast-cancer-bearing mice. *International Journal of Medicinal Mushrooms* **8**, 315-320.
- Nakazawa, T. and Tochigi, T. (1989) Hypersensitivity pneumonitis due to mushroom (*Pholiota nameko*) spores. *Chest* **95**, 1149-1151.
- Ng, M.L. and Yap, A.T. (2002) Inhibition of human colon carcinoma development by lentinan from shiitake mushrooms (*Lentinus edodes*). *J of Alternative and Complementary Medicine* **8**, 581-589.

- Noguchi, M., Kakuma, T., Tomiyasu, K., Kurita, Y., Kukihara, H., Konishi, F., Kumamoto, S., Shimizu, K., Kondo, R. and Matsuoka, K. (2008) Effect of an extract of *Ganoderma lucidum* in men with lower urinary tract symptoms: a double-blind, placebo-controlled randomized and dose-ranging study. *Asian Journal of Andrology* **10**, 651-658.
- Ohno, N., Furukawa, M., Miura, N.N., Adachi, Y., Motoi, M. and Yadomae, T. (2001) Antitumor beta glucan from the cultured fruit body of *Agaricus blazei*. *Biological and Pharmaceutical Bulletin* **24**, 820-828.
- Ohtsuki, M., Umeshita, K., Kokean, Y., Nishii, T., Sakakura, H., Yanagita, T. and Furuichi, Y. (2006) The hypolipidemic effects of some edible mushrooms on growing rats. *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **53**, 612-618.
- Ohtsuki, M., Umeshita, K., Kokean, Y., Nishii, T., Sakakura, H., Yanagita, T., Hisamatsu, M. and Furuichi, Y. (2007) Suppressive effects of *Bunashimeji* (*Hypsizigus Marmoratus*) on triacylglycerol accumulation in C57bl/6j mice. *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **54**, 167-172.
- Ou, H.T., Shieh, C.J., Chen, J.Y. and Chang, H.M. (2005) The antiproliferative and differentiating effects of human leukemic U937 cells are mediated by cytokines from activated mononuclear cells by dietary mushrooms. *Journal of Agricultural and Food Chemistry* **53**, 300-305.
- Ouzouni, P.K., Veltsistas, P.G., Paleologos, E.K. and Riganakos, K.A. (2007) Determination of metal content in wild edible mushroom species from regions of Greece. *Journal of Food Composition and Analysis* **20**, 480-486.
- Papaparaskeva-Petrides, C., Ioannides, C. and Walker, R. (1993) Contribution of phenolic and quinonoid structures in the mutagenicity of the edible mushroom *Agaricus bisporus*. *Food and Chemical Toxicology* **31**, 561-567.
- Park, Y.K., Lee, H.B., Jeon, E.J., Jung, H.S. and Kang, M.H. (2004) Chaga mushroom extract inhibits oxidative DNA damage in human lymphocytes as assessed by Comet assay. *Biofactors* **21**, 109-112.
- Pelley, R.P. and Strickland, F.M. (2000) Plants, polysaccharides, and the treatment and prevention of neoplasia. *Critical Reviews in Oncology* **11**, 189-225.
- Pero, R.W., Amiri, A., Sheng, Y., Welther, M. and Rich, M. (2005) Formulation and in vitro/in vivo evaluation of combining DNA repair and immune enhancing nutritional supplements. *Phytomedicine* **12**, 255-263.
- Petrova, R.D., Wasser, S.P., Mahajna, J.A., Denchev, C.M. and Nevo, E. (2005) Potential role of medicinal mushrooms in breast cancer treatment: Current knowledge and future perspectives. *International Journal of Medicinal Mushrooms* **7**, 141-155.
- Pilegaard, K., Kristiansen, E., Meyer, O.A. and Gry, J. (1997) Failure of the cultivated mushroom (*Agaricus bisporus*) to induce tumors in the A/J mouse lung tumor model. *Cancer Letters* **120**, 79-85.

- Pillai, T.G., Salvi, V.P., Maurya, D.K., Nair, C.K.K. and Janardhanan, K.K. (2006) Prevention of radiation-induced damages by aqueous extract of *Ganoderma lucidum* occurring in southern parts of India. *Current Science* **91**, 341-344.
- Pinheiro, F., Faria, R.R., de Camargo, J.L., Spinardi-Barbisan, A.L., da Eira, A.F. and Barbisan, L.F. (2003) Chemoprevention of preneoplastic liver foci development by dietary mushroom *Agaricus blazei* Murrill in the rat. *Food and Chemical Toxicology* **41**, 1543-1550.
- Pool-Zobel, B.L., Schmezer, P., Sinrachatanant, Y., Kliagasioglu, F., Reinhart, K., Martin, R., Klein, P. and Tricker, A.R. (1990) Mutagenic and genotoxic activities of extracts derived from the cooked and raw edible mushroom *Agaricus bisporus*. *Journal of Cancer Research and Clinical Oncology* **116**, 475-479.
- Preuss, H.G., Echard, B., Bagchi, D., Perricone, N.V. and Zhuang, C. (2007) Enhanced insulin-hypoglycemic activity in rats consuming a specific glycoprotein extracted from maitake mushroom. *Molecular and Cellular Biochemistry* **306**, 105-113.
- Qian, Z.M., Xu, M.F. and Tang, P.L. (1997) Polysaccharide Peptide (PSP) Restores Immunosuppression Induced by Cyclophosphamide in Rats. *American Journal of Chinese Medicine* **25**, 27-35.
- Rabinovich, M., Figlas, D., Delmastro, S. and Curvetto, N. (2007) Copper- and zinc-enriched mycelium of *Agaricus blazei* Murrill: Bioaccumulation and bioavailability. *Journal of Medicinal Food* **10**, 175-183.
- Ren, G., Zhao, Y., Yang, L. and Fu, C.-X. (2008a) Anti-proliferative effect of cliticine from the mushroom *Leucopaxillus giganteus* on human cervical cancer HeLa cells by inducing apoptosis. *Cancer Letters* **262**, 190-200.
- Ren, Z., Guo, Z., Meydani, S.N. and Wu, D. (2008b) White button mushroom enhances maturation of bone marrow-derived dendritic cells and their antigen presenting function in mice. *Journal of Nutrition* **138**, 544-550.
- Rocha, N.S., Barbisan, L.F., De Oliveira, M.L.C. and De Camargo, J.L.V. (2002) Mushroom-derived preparations in the prevention of H₂O₂-induced oxidative damage to cellular DNA. *Teratogenesis Carcinogenesis and Mutagenesis* **22**, 103-111.
- Rubel, R., Santa, H.S.D., Fernandes, L.C., Filho, J.H.C.L., Figueiredo, B.C., Di Bernardi, R., Moreno, A.N., Leifa, F. and Soccol, C.R. (2008) High immunomodulatory and preventive effects against sarcoma 180 in mice fed with Ling Zhi or Reishi mushroom *Ganoderma lucidum* (W. Curt.: Fr.) P. Karst. (Aphyllorphoromycetideae) mycelium. *International Journal of Medicinal Mushrooms* **10**, 37-48.
- Russo, A., Piovano, M., Clericuzio, M., Lombardo, L., Tabasso, S., Chamy, M.C., Vidari, G., Cardile, V., Vita-Finzi, P. and Garbarino, J.A. (2007) Putrescine-1,4-dicinnamide from *Pholiota spumosa* (Basidiomycetes) inhibits cell growth of human prostate cancer cells. *Phytomedicine* **14**, 185-191.
- Saif, A., Lindequist, U. and Wende, K. (2007) Stimulating effects of *Grifola frondosa* (Maitake) on human osteoblastic cell cultures. *Journal of Natural Medicines* **61**, 231-238.

- Saitoh, H., Feng, W., Matsuzawa, T. and Ikekawa, T. (1997) Antitumor activity of *Hypsizigus marmoreus*. II. Preventive effect against lung metastasis of Lewis lung carcinoma. *Yakugaku Zasshi* **117**, 1006-1010.
- San Gabriel, A. M., Maekawa, T., Uneyama, H., Yoshie, S. and Torii, K. (2007) mGluR1 in the fundic glands of rat stomach. *FEBS Letters* **581**, 1119-1123.
- Sanzen, I., Imanishi, N., Takamatsu, N., Konosu, S., Mantani, N., Terasawa, K., Tazawa, K., Odaira, Y., Watanabe, M., Takeyama, M. and Ochiai, H. (2001) Nitric oxide-mediated antitumor activity induced by the extract from *Grifola frondosa* (Maitake mushroom) in a macrophage cell line, RAW264.7. *Journal of Experimental and Clinical Cancer Research* **20**, 591-597.
- Sarangi, I., Ghosh, D., Bhutia, S.K., Mallick, S.K. and Maiti, T.K. (2006) Anti-tumor and immunomodulating effects of *Pleurotus ostreatus* mycelia-derived proteoglycans. *International Immunopharmacology* **6**, 1287-1297.
- Shen, J., Ren, H., Tomiyama-Miyaji, C., Suga, Y., Suga, T., Kuwano, Y., Iiai, T., Hatakeyama, K. and Abo, T. (2007) Potentiation of intestinal immunity by micellary mushroom extracts. *Biomedical Research* **28**, 71-77.
- Sheu, F., Chien, P.J., Chien, A.L., Chen, Y.F. and Chin, K.L. (2004) Isolation and Characterization of an Immunomodulatory Protein (App), From the Jew's Ear Mushroom *Auricularia Polytricha*. *Food Chemistry* **87**, 593-600.
- Shi, Y.-L., Benzie, I.F.F. and Buswell, J.A. (2002) Role of tyrosinase in the genoprotective effect of the edible mushroom, *Agaricus bisporus*. *Life Sciences* **70**, 1595-1608.
- Shibata, Y., Kashiwagi, B., Arai, S., Fukabori, Y. and Suzuki, K. (2005) Administration of extract of mushroom *Phellinus linteus* induces prostate enlargement with increase in stromal component in experimentally developed rat model of benign prostatic hyperplasia. *Urology* **66**, 455-460.
- Shimizu, K., Yamanaka, M., Gyokusen, M., Kaneko, S., Tsutsui, M., Sato, J., Sato, I., Sato, M. and Kondo, R. (2006) Estrogen-like activity and prevention effect of bone loss in calcium deficient ovariectomized rats by the extract of *Pleurotus eryngii*. *Phytotherapy Research* **20**, 659-664.
- Shimokawa, K., Mashima, I., Asai, A., Ohno, T., Yamada, K., Kita, M. and Uemura, D. (2008) Biological activity, structural features, and synthetic studies of (-)-ternatin, a potent fat-accumulation inhibitor of 3T3-L1 adipocytes. *Chemistry, an Asian Journal* **3**, 438-446.
- Sliva, D., Jedinak, A., Kawasaki, J., Harvey, K. and Slivova, V. (2008) *Phellinus linteus* suppresses growth, angiogenesis and invasive behaviour of breast cancer cells through the inhibition of AKT signalling. *British Journal of Cancer* **98**, 1348-1356.
- Soboleva, A.I.U., Krasnopol'skaia, L.M., Fedorova, G.B. and Katrukha, G.S. (2006) Antibiotic properties of the strains of the basidiomycete *Lentinus edodes* (Berk.) sing. *Antibiotiki Khimioterapiya* **51**, 3-8.

- Son, C.G., Shin, J.W., Cho, J.H., Cho, C.K., Yun, C.H., Chung, W. and Han, S.H. (2006) Macrophage activation and nitric oxide production by water soluble components of *Herichium erinaceum*. *International Immunopharmacology* **6**, 1363-1369.
- Song, Y.S., Kim, S.H., Sa, J.H., Jin, C., Lim, C.J. and Park, E.H. (2003) Anti-angiogenic, antioxidant and xanthine oxidase inhibition activities of the mushroom *Phellinus linteus*. *Journal of Ethnopharmacology* **88**, 113-116.
- Sorimachi, K., Ikehara, Y., Maezato, G., Okubo, A., Yamazaki, S., Akimoto, K. and Niwa, A. (2001) Inhibition by *Agaricus blazei* Murill fractions of cytopathic effect induced by western equine encephalitis (WEE) virus on VERO cells in vitro. *Bioscience Biotechnology and Biochemistry* **65**, 1645-1647.
- Sorimachi, K. and Koge, T. (2008) *Agaricus blazei* water extracts as alternative medicines. *Current Pharmaceutical Analysis* **4**, 39-43.
- Souza-Paccola, E.A., Bomfeti, C.A., Fa?varo, L.C.L., Fonseca, I.C.B. and Paccola-Meirelles, L.D. (2004) Antimutagenic action of *Lentinula edodes* and *Agaricus blazei* on *Aspergillus nidulans* conidia. *Brazilian Journal of Microbiology* **35**, 311-315.
- Stamets, P. (2005) Notes on nutritional properties of culinary-medicinal mushrooms. *International Journal of Medicinal Mushrooms* **7**, 103-110.
- Stanley, G., Harvey, K., Slivova, V., Jiang, J. and Sliva, D. (2005) *Ganoderma lucidum* suppresses angiogenesis through the inhibition of secretion of VEGF and TGF-beta1 from prostate cancer cells. *Biochemical and Biophysical Research Communications* **330**, 46-52.
- Sterner, O., Bergman, R., Kesler, E., Magnusson, G., Nilsson, L., Wickberg, B., Zimerson, E. and Zetterberg, G. (1982) Mutagens in larger fungi. I. Forty-eight species screened for mutagenic activity in the Salmonella/microsome assay. *Mutation Research* **101**, 269-281.
- Takaku, T., Kimura, Y. and Okuda, H. (2001) Isolation of an antitumor compound from *Agaricus blazei* Murill and its mechanism of action. *Journal of Nutrition* **131**, 1409-1413.
- Talpur, N., Echard, B., Dadgar, A., Aggarwal, S., Zhuang, C., Bagchi, D. and Preuss, H.G. (2002) Effects of Maitake mushroom fractions on blood pressure of Zucker fatty rats. *Research Communications in Molecular Pathology and Pharmacology* **112**, 68-82.
- Tambekar, D.H., Sonar, T.P., Khodke, M.V. and Khante, B.S. (2006) The novel antibacterials from two edible mushrooms: *Agaricus bisporus* and *Pleurotus sajor caju*. *International Journal of Pharmacology* **2**, 582-585.
- Tanaka, H., Tsunematsu, K., Nakamura, N., Suzuki, K., Tanaka, N., Takeya, I., Saikai, T. and Abe, S. (2004) Successful treatment of hypersensitivity pneumonitis caused by *Grifola frondosa* (Maitake) mushroom using a HFA-BDP extra-fine aerosol. *Internal Medicine* **43**, 737-740.

- Tao, Y.Z., Zhang, L. and Cheung, P.C.K. (2006) Physicochemical properties and antitumor activities of water-soluble native and sulfated hyperbranched mushroom polysaccharides. *Carbohydrate Research* **341**, 2261-2269.
- Tarvainen, K., Salonen, J.P., Kanerva, L., Estlander, T., Keskinen, H. and Rantanen, T. (1991) Allergy and toxicodermia from shiitake mushrooms. *Journal of the American Academy of Dermatology* **24**, 64-6.
- Teichmann, A. Dutta, P.C., Staffas, A. and Jägerstad, M. (2007) Sterol and vitamin D2 concentrations in cultivated and wild grown mushrooms: Effects of UV irradiation. *LWT - Food Science and Technology* **40**, 815-822.
- Thyagarajan, A., Jiang, J., Hopf, A., Adamec, J. and Sliva, D. (2006) Inhibition of oxidative stress-induced invasiveness of cancer cells by *Ganoderma lucidum* is mediated through the suppression of interleukin-8 secretion. *International Journal of Molecular Medicine* **18**, 657-664.
- Thyagarajan, A., Zhu, J. and Sliva, D. (2007) Combined effect of green tea and *Ganoderma lucidum* on invasive behavior of breast cancer cells. *International Journal of Oncology* **30**, 963-969.
- Toth, B. (1986) Carcinogenesis by N2-[gamma-L(+)-glutamyl]-4-carboxyphenylhydrazine of *Agaricus bisporus* in mice. *Anticancer Research* **6**, 917-920.
- Toth, B., Coles, M. and Talmadge, J. (2007) Inhibition of intestinal cancer by VPS extract of the *Coriolus Versicolor* mushroom in C57bl/6j-Apc(Min) mice. *FASEB Journal* **21**, A756
- Toth, B., Erickson, J. and Gannett, P. (1997) Lack of carcinogenesis by the baked mushroom *Agaricus bisporus* in mice: different feeding regimen. *In Vivo* **11**, 227-231.
- Toth, B. and Gannett, P. (1990) Carcinogenesis study in mice by 3-methylbutanal methylformylhydrazone of *Gyromitra esculenta*. *In Vivo* **4**, 283-288.
- Toth, B. and Nagel, D. (1981) Studies of the tumorigenic potential of 4-substituted phenylhydrazines by the subcutaneous route. *Journal of Toxicology and Environmental Health* **8**, 1-9.
- Toth, B. and Patil, K. (1980) Carcinogenesis by a single dose of N-methyl-N-formylhydrazine. *Journal of Toxicology and Environmental Health* **6**, 577-584.
- Tsai, S.Y., Tsai, H.L. and Mau, J.L. (2007) Antioxidant properties of *Agaricus Blazei*, *Agrocybe Cylindracea*, and *Boletus Edulis*. *LWT-Food Science and Technology* **40**, 1392-1402.
- Tsuchida, K., Aoyagi, Y., Odani, S., Mita, T. and Isemura, M. (1995) Isolation of a novel collagen-binding protein from the mushroom, *Hypsizigus marmoreus*, which inhibits the Lewis lung carcinoma cell adhesion to type IV collagen. *Journal of Biological Chemistry* **270**, 1481-1484.

- Tsushima, K., Furuya, S., Yoshikawa, S., Yasuo, M., Yamazaki, Y., Koizumi, T., Fujimoto, K. and Kubo, K. (2006) Therapeutic effects for hypersensitivity pneumonitis induced by Japanese mushroom (Bunashimeji). *American Journal of Industrial Medicine* **49**, 826-835.
- Tzi, B.N., Wang, H. and Wan, D.C.C. (2006) Polysaccharopeptide from the Turkey Tail fungus *Trametes versicolor* (L.:Fr.) pilat inhibits human immunodeficiency virus type 1 reverse transcriptase and protease. *International Journal of Medicinal Mushrooms* **8**, 39-43.
- Ukawa, Y., Andou, M., Furuichi, Y., Kokean, Y., Nishii, T. and Hisamatsu, M. (2001a) Angiotensin I-converting enzyme inhibitory activity and antitumor activity of Hatakeshimeji (*Lyophyllum Decastes* Sing.). *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **48**, 58-63.
- Ukawa, Y., Andou, M., Furuichi, Y., Kokean, Y., Nishii, T. and Hisamatsu, M. (2001b) Hypocholesterolemic activity of Hatakeshimeji (*Lyophyllum Decastes* Sing.) mushroom in rats. *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **48**, 520-525.
- Ukawa, Y., Kojima, Y., Soma, K., Mishima, T. and Hisamatsu, M. (2007) Safety evaluation of hot-water extract of Hatake-Shimeji (*Lyophyllum Decastes* Sing.). *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **54**, 133-137.
- Vetter, J. (1995) Mineral and amino acid contents of edible, cultivated shii-take mushrooms (*Lentinus edodes*). *Zeitschrift fuer Lebensmittel-Untersuchung und Forschung* **201**, 17-19.
- Vetter, J. and Lelley, J. (2004) Selenium level of the cultivated mushroom *Agaricus bisporus*. *Acta Alimentaria* **33**, 297-301.
- Wachtel-Galor, S., Tomlinson, B. and Benzie, I.F.F. (2004) *Ganoderma lucidum* ('Lingzhi'), a Chinese medicinal mushroom: biomarker responses in a controlled human supplementation study. *British Journal of Nutrition* **91**, 263-269.
- Wang, H., Gao, J. and Ng, T.B. (2000) A new lectin with highly potent antihepatoma and antisarcoma activities from the oyster mushroom *Pleurotus ostreatus*. *Biochemical and Biophysical Research Communications* **275**, 810-816.
- Wang, H.X. and Ng, T.B. (2000) Isolation of a novel ubiquitin-like protein from *Pleurotus ostreatus* mushroom with anti-human immunodeficiency virus, translation-inhibitory, and ribonuclease activities. *Biochemical and Biophysical Research Communications* **276**, 587-593.
- Wang, H.X. and Ng, T.B. (2001) Examination of lectins, polysaccharopeptide, polysaccharide, alkaloid, coumarin and trypsin inhibitors for inhibitory activity against human immunodeficiency virus reverse transcriptase and glycohydrolases. *Planta Medica* **67**, 669-72.
- Wang, J.C., Hu, S.H., Su, C.H. and Lee, T.M. (2001) Antitumor and immunoenhancing activities of polysaccharide from culture broth of *Hericium* spp. *Kaohsiung Journal of Medical Sciences* **17**, 461-467.

- Wang, J.C.Y., Hu, S.H., Wang, J.T., Chen, K.S. and Chia, Y.C. (2005) Hypoglycemic effect of extract of *Hericium Erinaceus*. *Journal of the Science of Food and Agriculture* **85**, 641-646.
- Wang, L., Ha, C.-L., Cheng, T.-L., Cheng, S.-Y., Lian, T.-W. and Wu, M.-J. (2008) Oral administration of submerged cultivated *Grifola frondosa* enhances phagocytic activity in normal mice. *Journal of Pharmacy and Pharmacology* **60**, 237-243.
- Wang, L.H., Tsai, S.J. and Lin, S.Y. (2004) Aqueous extract from Taiwanese *Agrocybe Cylindracea* strain B protects DNA against center dot oh-mediated strand breaks. *Journal of Food and Drug Analysis* **12**, 277-285.
- Watanabe, T., Yamada, T., Ishi, S., Mazumder, T.K., Nagai, S. and Tsuji, K. (2002) Effect of autolyzed-Shiitake (*Lentinus Edodes*) on blood pressure and serum fat levels in spontaneously hypertensive rats. *Journal of the Japanese Society for Food Science and Technology-Nippon Shokuhin Kagaku Kogaku Kaishi* **49**, 662-669.
- Wei, S., Helsper, J.P.F.G. and Van Griensven, L.J.L.D. (2008) Phenolic compounds present in medicinal mushroom extracts generate reactive oxygen species in human cells in vitro. *International Journal of Medicinal Mushrooms* **10**, 1-13.
- Weng, C.-J., Chau, C.-F., Chen, K.-D., Chen, D.-H. and Yen, G.-C. (2007) The anti-invasive effect of lucidenic acids isolated from a new *Ganoderma lucidum* strain. *Molecular Nutrition & Food Research* **51**, 1472-1477.
- White, R.W.D., Hackman, R.M., Soares, S.E., Beckett, L.A. and Sun, B.X. (2002) Effects of a mushroom mycelium extract on the treatment of prostate cancer. *Urology* **60**, 640-644.
- Wong, C.K., Bao, Y.X., Wong, E.L.Y., Leung, P.C., Fung, K.P. and Lam, C.W.K. (2005) Immunomodulatory activities of Yunzhi and Danshen in post-treatment breast cancer patients. *American Journal of Chinese Medicine* **33**, 381-395.
- Wong, K.-H., Vikineswary, S., Abdullah, N., Naidu, M. and Keynes, R. (2007) Activity of aqueous extracts of lion's mane mushroom *Hericium erinaceus* (Bull.: Fr.) Pers. (Aphyllphoromycetidaeae) on the neural cell line NG108-15. *International Journal of Medicinal Mushrooms* **9**, 57-65.
- Wong, K.L., Chao, H.H., Chan, P., Chang, L.P. and Liu, C.F. (2004) Antioxidant activity of *Ganoderma lucidum* in acute ethanol-induced heart toxicity. *Phytotherapy Research* **18**, 1024-1026.
- Wu, D., Pae, M., Ren, Z., Guo, Z., Smith, D. and Meydani, S.N. (2007) Dietary supplementation with white button mushroom enhances natural killer cell activity in C57BL/6 mice. *Journal of Nutrition* **137**, 1472-1477.
- Wu, D.Y., Han, S.N., Bronson, R.T., Smith, D.E. and Meydani, S.N. (1998) Dietary supplementation with mushroom-derived protein-bound glucan does not enhance immune function in young and old mice. *Journal of Nutrition* **128**, 193-197.
- Wu, H.Y., Zhang, Q.X. and Leung, P.H. (2007) Inhibitory effects of ethyl acetate extract of *Cordyceps Sinensis* mycelium on various cancer cells in culture and B16 melanoma in C57bl/6 mice. *Phytomedicine* **14**, 43-49.

- Xie, J.T., Wang, C.Z., Wicks, S., Yin, J.J., Kong, J., Li, J., Li, Y.C. and Yuan, C.S. (2006) Ganoderma lucidum extract inhibits proliferation of SW 480 human colorectal cancer cells. *Experimental Oncology* **28**, 25-29.
- Xu, M.L., Choi, J.Y., Jeong, B.S., Li, G., Lee, K.R., Lee, C.S., Woo, M.H., Lee, E.S., Jahng, Y., Chang, H.W., Lee, S.H. and Son, J.K. (2007) Cytotoxic constituents isolated from the fruit bodies of Hypsizigus marmoreus. *Archives of Pharmacology Research* **30**, 28-33.
- Yamaguchi, N., Yoshida, J., Ren, L.J., Chen, H., Miyazawa, Y., Fujii, Y., Huang, Y.X., Takamura, S., Suzuki, S., Koshimura, S. and et, a.l. (1990) Augmentation of various immune reactivities of tumor-bearing hosts with an extract of Cordyceps sinensis. *Biotherapy* **2**, 199-205.
- Yang, B.K., Jeong, S.C. and Song, C.H. (2002a) Hypolipidemic effect of exo- and endo-biopolymers produced from submerged mycelial culture of Ganoderma Lucidum in rats. *Journal of Microbiology and Biotechnology* **12**, 872-877.
- Yang, B.K., Kim, D.H., Jeong, S.C., Das, S., Choi, Y.S., Shin, J.S., Lee, S.C. and Song, C.H. (2002b) Hypoglycemic effect of a Lentinus edodes exo-polymer produced from a submerged mycelial culture. *Biosci Biotechnol Biochem* **66**, 937-942.
- Yang, B.-K., Park, J.-B. and Song, C.-H. (2002c) Hypolipidemic effect of exo-polymer produced in submerged mycelial culture of five different mushrooms. *Journal of Microbiology and Biotechnology* **12**, 957-961.
- Yang, B.K., Park, J.B. and Song, C.H. (2003) Hypolipidemic effect of an exo-biopolymer produced from a submerged mycelial culture of Hericium erinaceus. *Bioscience Biotechnology and Biochemistry* **67**, 1292-1298.
- Yang, B.K., Wilson, M.A., Cho, K.Y. and Song, C.H. (2004) Hypoglycemic effect of exo- and endo-biopolymers produced by submerged mycelial culture of Ganoderma Lucidum in streptozotocin-induced diabetic rats. *Journal of Microbiology and Biotechnology* **14**, 972-977.
- Yang, N., Tong, X., Xiang, Y., Zhang, Y., Liang, Y., Sun, H. and Wang, D.C. (2005) Molecular character of the recombinant antitumor lectin from the edible mushroom Agrocybe aegerita. *Journal of Biochemistry* **138**, 145-150.
- Yasukawa, K., Aoki, T., Takido, M., Ikekawa, T., Saito, H. and Matsuzawa, T. (1994) Inhibitory effects of ergosterol isolated from the edible mushroom Hypsizigus-Marmoreus on TPA-induced inflammatory ear edema and tumor promotion in mice. *Phytotherapy Research* **8**, 10-13.
- Yoon, S.J., Yu, M.A., Pyun, Y.R., Hwang, J.K., Chu, D.C., Juneja, L.R. and Mourao, P.A. (2003) The nontoxic mushroom Auricularia auricula contains a polysaccharide with anticoagulant activity mediated by antithrombin. *Thrombosis Research* **112**, 151-158.
- Yoshimoto, H., Eguchi, F., Higaki, M. and Ohga, S. (2005) Influence of culture medium components on the pharmacological effects of Agaricus Blazei. *Mokuzai Gakkaishi* **51**, 387-393.

- Yu, L., Fernig, D.G., Smith, J.A., Milton, J.D. and Rhodes, J.M. (1993) Reversible inhibition of proliferation of epithelial cell lines by *Agaricus bisporus* (edible mushroom) lectin. *Cancer Research* **53**, 4627-4632.
- Yu, L.G., Fernig, D.G. and Rhodes, J.M. (2000) Intracellular trafficking and release of intact edible mushroom lectin from HT29 human colon cancer cells. *European Journal of Biochemistry* **267**, 2122-2126.
- Yue, G.G.L., Fung, K.P., Tse, G.M.K., Leung, P.C. and Lau, C.B.S. (2006) Comparative Studies of Various *Ganoderma* Species and Their Different Parts With Regard to Their Antitumor and Immunomodulating Activities in Vitro. *Journal of Alternative and Complementary Medicine* **12**, 777-789.
- Yuen, J.W.M. and Gohel, M.D.I. (2005) Anticancer effects of *Ganoderma lucidum*: A review of scientific evidence. *Nutrition and Cancer* **53**, 11-17.
- Yuminamochi, E., Koike, T., Takeda, K., Horiuchi, I. and Okumura, K. (2007) Interleukin-12- and interferon-gamma-mediated natural killer cell activation by *Agaricus blazei* Murill. *Immunology* **121**, 197-206.
- Zhang, W.Y., Yang, J.Y., Chen, J.P., Hou, Y.Y. and Han, X.D. (2005) Immunomodulatory and Antitumour Effects of an Exopolysaccharide Fraction From Cultivated *Cordyceps Sinensis* (Chinese Caterpillar Fungus) on Tumour-Bearing Mice. *Biotechnology and Applied Biochemistry* **42**, 9-15.
- Zhang, Y., Mills, G.L. and Nair, M.G. (2002) Cyclooxygenase inhibitory and antioxidant compounds from the mycelia of the edible mushroom *Grifola frondosa*. *Journal of Agricultural and Food Chemistry* **50**, 7581-7585.
- Zhao, L., Zhao, G., Hui, B., Mao, Z., Tong, J. and Hu, X. (2004) Effect of selenium on increasing the antioxidant activity of protein extracts from a selenium-enriched mushroom species of the *Ganoderma* genus. *Journal of Food Science* **69**, C184-C188
- Zhao, L., Zhao, G.H., Du, M., Zhao, Z.D., Xiao, L.X. and Hu, X.S. (2008) Effect of selenium on increasing free radical scavenging activities of polysaccharide extracts from a Se-enriched mushroom species of the genus *Ganoderma*. *European Food Research and Technology* **226**, 499-505.
- Zhong, M., Tai, A. and Yamamoto, I. (2005) In vitro augmentation of natural killer activity and interferon-gamma production in murine spleen cells with *Agaricus blazei* fruiting body fractions. *Bioscience Biotechnology and Biochemistry* **69**, 2466-2469.
- Zhou, S., Gao, Y. and Chan, E. (2005) Clinical trials for medicinal mushrooms: Experience with *Ganoderma lucidum* (W.Curt.:Fr.) Lloyd (Lingzhi Mushroom). *International Journal of Medicinal Mushrooms* **7**, 111-117.
- Zhou, X.W., Jiang, H., Lin, J. and Tang, K.X. (2007) Cytotoxic activities of *Coriolus Versicolor* (Yunzhi) extracts on human liver cancer and breast cancer cell line. *African Journal of Biotechnology* **6**, 1740-1743.